

ARCHY

Design by
STUDIO F·A·PORSCHE

ARCHY

Dominant à 7,5 m de hauteur, Archy impose ses courbes et sa prestance. Sa base profilée est prolongée par les modules d'éclairage (1 ou 2 feux pour l'éclairage routier, 2 feux avec retour piéton ou encore circulaire) et peut accueillir diverses options intelligentes et un affichage dynamique. Volontairement majestueux, Archy est le nouveau symbole du smart lighting.

Dominating at a height of 7.5 m, Archy imposes his curves and his presence. Its profiled base is extended by the lighting modules (1 or 2 lights for road lighting, 2 lights with pedestrian return or circular lighting) and can accommodate various intelligent options and dynamic display. Deliberately majestic, Archy is the new symbol of smart lighting.



Camera panoramique Panoramic camera



Caméra Axis 8 Mpx. Couverture horizontale à 180° et verticale à 90°.
Analyse vidéo - Sécurité - Gestion du trafic

Axis 8 MP camera. Horizontal coverage at 180° and vertical at 90°.
Video analysis - Security - Traffic management

Capteurs environnementaux Environmental sensors



Capteurs de température, d'humidité et de pression. Qualité de l'air :
capteurs de particules, NOX et CO₂. Cellule UV. Détecteur de bruit.
Intelligence environnementale - Contrôle pollution

Temperature, humidity and pressure sensors. Air quality: particles,
NOX and CO₂ sensors. UV capsule. Noise detector.
Environmental intelligence - Pollution control

Ecran LED LED display



Ecran LED orientable de 512 x 1536 cm. Pitch 4 ou 3,1 mm.
Divertissement - Informations - Publicité

Swivelable LED display of 512 x 1536 cm. Pitch 4 or 3.1 mm.
Entertainment - Information - Advertising

Caméra piéton Pedestrian camera



Caméra Axis reconnaissance faciale.
Indicateur de bonheur

Axis facial recognition camera.
Happiness indicator

Haut-parleur + Micro Loudspeaker + Mic



Haut-parleur VISATON, micro AXIS.

Interface vocale - Divertissement - Informations - Publicité - Support en cas
d'urgence - Sécurité

VISATON loudspeaker, AXIS microphone.
Voice interface - Entertainment - Information - Advertising - Emergency support -
Security

Bouton d'urgence Emergency button



Support en cas d'urgence - Sécurité

Emergency support - Security

Recharge véhicule électrique Electric vehicle charging



Mobilité durable / Smart mobility

WIFI, LAN
WIFI, LAN



Connectivité / Connectivity

Module éclairage LED

LED lighting module



Routier : 112 LED. Piéton : 48 LED. Ambiance - Circulaire : 64 LED.
Eclairage LED haute-performance - LiFi

Road: 112 LEDs. Pedestrian: 48 LEDs. Ambiance: 64 LED.
High-performance LED lighting



GAMME / RANGE





ARCHY 0
Éclairage d'ambiance circulaire /
Circular ambiance lighting

ARCHY 1
Éclairage routier /
Street lighting

ARCHY 2
Éclairage routier /
Road lighting

ARCHY 3
Éclairage routier + piéton /
Road + pedestrian lighting





RAGNI SAS
CHEMIN DU VALLON DES VAUX - LE GUEIRARD
CS 80002 06801 CAGNES CEDEX - FRANCE
Tél. : +33 (0)4 93 31 05 48
e-mail : info@ragni.com



WWW.RAGNI.COM

